ELSEVIER

Forest Ecology and Management 149 (2001) 319–320

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 149

VOLUME 149, ISSUES 1–3 **1 AUGUST 2001**

Response of *Quercus petraea* seedlings to nitrogen fertilization
T.W. Berger and G. Glatzel (Vienna, Austria) 1
Optimal spatial harvest planning under risk of windthrow
H. Meilby, N. Strange and B.J. Thorsen (Frederiksberg, Denmark) 15
Drought responses at leaf, stem and fine root levels of competitive *Fagus sylvatica* L. and *Quercus petraea* (Matt.) Liebl. trees in dry and wet years
Ch. Leuschner (Kassel, Germany), K. Backes (Göttingen, Germany), D. Hertel, F. Schipka (Kassel, Germany), U. Schmitt, O. Terborg and M. Runge (Göttingen, Germany) 33
Canopy modification of atmospheric deposition in oligotrophic *Quercus pyrenaica* forests of an unpolluted region (central-western Spain)
G. Moreno, J.F. Gallardo (Salamanca, Spain) and F. Bussotti (Firenze, Italy) 47
Predicting site index of Douglas-Fir plantations from ecological variables in the Massif Central area of France
T. Curt, M. Bouchaud and G. Agrech (Aubière, France) 61
Effects of calcium and aluminum chloride additions on foliar and throughfall chemistry in sugar maples
T.W. Berger (Vienna, Austria), C. Eagar (Durham, NH, USA), G.E. Likens (Millbrook, NY, USA) and G. Stingeder (Vienna, Austria) 75
The relationship between moose (*Alces alces*) browsing utilisation and the occurrence of different forage species in Sweden
S. Hörnberg (Umeå, Sweden) 91
Modelling root biomass distribution in *Pinus sylvestris* forests of the Turgai Depression of Kazakhstan
C.W. Hoffmann (Birmensdorf, Switzerland) and V.A. Usoltsev (Ekaterinburg, Russia) 103
Soil water availability improved by site preparation in a *Pinus halepensis* afforestation under semiarid climate
J.I. Querejeta, A. Roldán, J. Albaladejo and V. Castillo (Murcia, Spain) 115
The relationships between tree size and spatial distribution of foliage-mass within crowns of Japanese cedars (*Cryptomeria japonica*) in young plantations
H. Mizunaga (Kagoshima, Japan) and T. Umeki (Kusu Ooita, Japan) 129
Changes in population density of moose (*Alces alces*) and damage to forests in Sweden
S. Hörnberg (Umeå, Sweden) 141
Characterization of coarse woody debris across a 100 year chronosequence of upland oak–hickory forests
T.W. Idol, R.A. Figler (West Lafayette, IN, USA), P.E. Pope and F. Ponder Jr. (Jefferson City, MO, USA) 153
Growth and nutritional responses of containerized sugar and Jeffrey pine seedlings to controlled release fertilization and induced mycorrhization
R.F. Walker (Reno, NV, USA) 163
Effects of gypsy moth suppression tactics on litter- and ground-dwelling arthropods in the central hardwood forests of the Cumberland Plateau
L.K. Rieske and L.J. Buss (Lexington, KY, USA) 181
Effects of the removal of overstory hemlock from hemlock-dominated forests on eastern redback salamanders
R.T. Brooks (Amherst, MA, USA) 197
Species effects of *Ceanothus velutinus* versus *Pseudotsuga menziesii*, Douglas-fir, on soil phosphorus and nitrogen properties in the Oregon cascades
J.D.H. Spears, K. Lajtha, B.A. Caldwell, S.B. Pennington and K. Vanderbilt (Corvallis, OR, USA) 205
Modeling canopy openness and understory gap patterns based on image analysis and mapped tree data
J. Silbernagel (Madison, WI, USA) and M. Moeur (Moscow, USA) 217

PII: S0378-1127(01)00600-4

Provenance and site variation of wood density in *Eucalyptus globulus* Labill. at harvest age and its relation to a non-destructive early assessment
I. Miranda, M. Helena Almeida and H. Pereira (Lisbon, Portugal) 235
Soil, groundwater, and floristics of a southeastern United States blackwater swamp 8 years after clearcutting with helicopter and skidder extraction of the timber
J. Rapp (Louisiana, USA), T. Shear and D. Robison (Raleigh, NC, USA) 241
Forest tenure systems and sustainable forest management: the case of Ghana
C.E. Owubah, D.C. Le Master (West Lafayette, IN, USA), J.M. Bowker (Athens, GA, USA) and J.G. Lee (West Lafayette, IN, USA) 253
Shrub age structure in northern Minnesota aspen stands
E. Kuuseoks, J. Dong and D. Reed (Houghton, MI, USA) 265
The potential of *Beauveria bassiana* (Hyphomycetes: Moniliales) as a biological control agent against the pine beauty moth, *Panolis flammea* (Lepidoptera: Noctuidae)
B.J. Hicks (Penicuik, UK), A.D. Watt (Banchory, UK) and D. Cosens (Edinburgh, UK) 275
Photosynthesis of Nuttall oak (*Quercus nuttallii* Palm.) seedlings interplanted beneath an eastern cottonwood (*Populus deltoides* Bartr. ex Marsh.) nurse crop
E.S. Gardiner (Stoneville MS, USA), C.J. Schweitzer (Asheville NC, USA) and J.A. Stanturf (Stoneville MS, USA) 283
Saproxylic insect diversity of beech: limbs are richer than trunks
K. Schiegg (Birmensdorf, Switzerland) 295
Quantitative genetics of spring and fall cold hardiness in seedlings from two Oregon populations of coastal Douglas-fir
G.A. O'Neill, W. Thomas Adams (Corvallis OR, USA) and S.N. Aitken (Vancouver, Canada) 305

Contents of *Forest Ecology and Management*, Volume 149 319